THE 100-YEAR ARCHIVE STANDARD

Preservation Frameworks for Long-Horizon Custody

May 2024

A. Winn · J. O'Brien

Engadin Foundation
1 Lombard Street
London EC3V 9AA
United Kingdom

ABSTRACT

The 100-Year Archive Standard (ES-2026) establishes material, custody, and verification protocols for estate documentation designed to survive century-scale succession events. Context: SENRA's 100-year horizon (2020-2120) requires documentation infrastructure that outlasts:

- Multiple succession events (3-4 generations)
- Technology obsolescence cycles (5-10 iterations)
- Institutional changes (advisor firms, banks, jurisdictions)
- Format evolution (digital standards, media degradation)

Traditional estate planning horizon: 20-40 years (one succession event) 100-year horizon: 3-4 succession events, multi-generational continuity Problem Statement: Standard estate documentation degrades predictably:

- Paper yellows and becomes brittle (50-100 years)
- Digital formats become unreadable (10-25 years)
- Institutional relationships lapse (advisor retirements, firm closures)
- Geographic custody becomes unclear (families move, properties sold)

Result: By generation 3-4, documentation is lost, corrupted, or inaccessible. Proposed Solution: ES-2026 specifies:

1. Material permanence - ISO 9706 archival paper (200+ year lifespan)
2. Format stability - Physical primary, digital backup (format-agnostic)
3. Custody continuity - Multi-generational custodian protocols
4. Verification discipline - Decennial verification cycles

Scope: Applies to:

- SENRA custody arrangements (N-01, E-01, L-VOL)
- Engadin Foundation patronage archives
- Family constitutional documents (multi-generational governance)
- Long-horizon trust documentation

Compliance: ISO 9706 (permanent paper) ISO 11108 (archival paper requirements) ISO 14721:2012 (OAIS reference model for digital preservation)

THE 100-YEAR PROBLEM

I. THE DOCUMENTARY DEGRADATION TIMELINE

Standard Estate Documentation Failure Modes:

Year 0-20 (Generation 1):

- Documents fresh, accessible, understood by creator
- Technology current (password managers work, file formats readable)
- Institutional relationships intact (original solicitor/accountant)

Year 20-40 (Generation 2 - First Succession):

- Paper begins yellowing (acid content degradation)
- Some digital formats obsolete (floppy disks, early USB formats)
- Original advisors retired or deceased (institutional knowledge lost)
- Executor struggles with outdated systems

Year 40-60 (Generation 3 - Second Succession):

- Paper brittle, illegible in sections (poor quality stock)
- Most digital formats unreadable (CD-ROM degradation, format obsolescence)
- Original institutional relationships completely lapsed
- Executor has no direct knowledge of estate origins

Year 60-100 (Generation 4 - Third+ Succession):

- Standard paper disintegrated or illegible
- Digital archives corrupted or inaccessible (format + media failure)
- Complete institutional discontinuity
- Estate documentation effectively lost

Observed Failure Rate: Estates without archival-grade preservation:

- 80% documentation loss by year 60
- 95% documentation loss by year 100

The 100-Year Standard addresses this through systematic material permanence.

MATERIAL SPECIFICATIONS ES-2026

II. ES-2026 MATERIAL REQUIREMENTS

Paper Standard:

Mandatory: ISO 9706:1994 Compliant Specifications:

- Weight: 160-200 GSM (grams per square meter)
- pH: 7.0-8.5 (alkaline or neutral)
- Alkaline reserve: Minimum 2% calcium carbonate
- Composition: 100% cotton fiber OR lignin-free wood pulp
- Longevity rating: 200-500 years (ISO 9706 certified)

Approved Paper Suppliers:

- Mohawk Superfine (100% cotton, archival)
- Neenah ENVIRONMENT (acid-free, ISO 9706)
- Southworth 25% Cotton (archival grade)

Verification:

- pH test on each batch (test strips or pH meter)
- Infinity symbol (∞) on packaging required
- Certificate of compliance from supplier

Ink Standard:

Mandatory: Pigment-Based, Archival Grade Specifications:

- Type: Pigment-based (NOT dye-based)
- Lightfastness: ISO 9706 compliant (UV-resistant)
- Water resistance: Minimum rating (survives moisture exposure)
- Longevity: 100+ years without fading

Approved Writing Instruments:

- Platinum Carbon Black fountain pen ink
- Sailor Kiwa-Guro pigment ink
- Uni-ball Signo 207 gel pen (pigment)
- Sakura Pigma Micron technical pen

Approved Printing:

- Laser printer (carbon-based toner - archival by default)
- Settings: "Best" quality, 1200 DPI minimum
- Avoid "Toner Save" mode (reduces permanence)

Prohibited:

- Ballpoint pens (dye-based, fades 10-50 years)
- Consumer inkjet (dye-based, fades 5-15 years)
- Thermal printing (fades 5-10 years)

Binding Standard:

ES-2026 Custody Binding: For working documents (P-Series, R-Series):

- D-ring binders (1.5"-2")
- Archival-grade polypropylene (NOT PVC - off-gasses acids)
- Three-hole punch: 80mm spacing (ISO 838)

For permanent archive volumes (L-VOL, E-01):

- Sewn binding (pages sewn together before gluing)
- PUR adhesive (Polyurethane Reactive - archival grade)
- Archival book cloth cover (acid-free)
- Archival-grade endpapers

Binding supplier:

- Professional bookbinder (conservation-grade materials)
- NOT consumer perfect binding (cheap adhesive degrades)

CUSTODY PROTOCOLS

III. MULTI-GENERATIONAL CUSTODY PROTOCOLS

The Custodian Succession Problem:

Traditional approach:

- Solicitor holds original will
- Solicitor retires/dies/firm closes
- New solicitor unknown to family
- Document location lost

100-year reality:

- 3-4 solicitor turnovers expected
- Firms merge, rebrand, or close (40% turnover rate per 25 years)
- Family moves, changes jurisdiction
- Institutional memory lost

ES-2026 Solution: Layered Custody

Primary Custody Layer:

SENRA Institutional Custody: For documents enrolled in SENRA custody (N-01, E-01, L-VOL): Physical storage:

- Climate-controlled archive (18-21°C, 35-45% RH)
- Fire-rated vault (2-hour minimum @ 1700°F)
- Multiple geographic backups (London + offsite)
- Perpetual institutional continuity (100-year commitment)

Access protocol:

- Principal: Direct access during lifetime
- Designated successors: Access upon principal's death (via succession protocol)
- Verification: Annual physical inspection

Institutional guarantee:

- SENRA commits to 100-year custody maintenance
- If SENRA ceases operations: Transfer protocol to successor institution
- No dependency on individual custodian (institutional role, not person)

Secondary Custody Layer (Family-Held):

For families not using institutional custody: Designated Family Archivist:

- Role assigned in P-10 (Succession Plan)
- Responsibility: Maintain archive, pass to next generation
- Training: Preservation protocols, verification procedures
- Succession: Designated Family Archivist names successor

Physical storage:

- Fire-rated home safe (1-hour minimum)
- OR bank safety deposit box (institutional backup)
- Climate control where possible (avoid attics, basements)

Decennial review:

- Every 10 years: Physical condition inspection
- Replace degraded pages (reprint on archival stock)
- Update successor Family Archivist if needed

Tertiary Custody Layer (Digital Backup):

Digital archives complement, not replace, physical: Format: PDF/A (Archival PDF)

- ISO 19005-1 compliant (PDF/A-1b or PDF/A-2b)
- Embeds fonts, no external dependencies
- Long-term accessibility (format stability)

Storage:

- Encrypted cloud (zero-knowledge encryption)
- Multiple USB drives (stored in separate DPs)
- Refreshed every 5 years (media degradation mitigation)

Verification:

- File integrity checks (SHA-256 hash)
- Annual accessibility test (can files be opened?)

THE L-VOL SPECIFICATION

IV. LEGACY VOLUME (L-VOL) - PERMANENT ARCHIVE L-VOL = Bound physical archive of complete estate documentation Purpose:

- Single permanent volume containing all P-Series + R-Series instruments
- Museum-grade preservation
- Multi-generational handover artifact
- SENRA product (£15,000 - institutional custody + binding)

L-VOL Production Specification:

Content:

- All 10 P-Series instruments (P-01 through P-10)
- All 4 R-Series registries (R-01 through R-04)
- S-Series security documents (S-00 through S-04)
- Optional: E-Series event protocols
- Provenance documentation (creation date, principal signature)

Material:

- ISO 9706 archival paper (160 GSM)
- Laser-printed (carbon toner)
- Pigment ink for annotations (if handwritten elements)

Binding:

- Sewn signatures (folded sheets sewn in groups)
- PUR adhesive binding
- Archival book cloth cover (navy or forest green)
- Stamped spine: "[Family Name] Estate Archive | [Year]"
- Archival endpapers
- Protective slipcase (archival board)

Dimensions:

- A4 format (210mm × 297mm)
- Thickness: 20-60mm (depending on estate complexity)
- Weight: 800g-2kg

L-VOL Custody Options:

Option 1: SENRA Institutional Custody (E-01)

- L-VOL stored in SENRA climate-controlled archive
- 100-year lease (£50,000 endowment shelf)
- Family access: By appointment, supervised viewing
- Perpetual institutional guarantee

Option 2: Family Custody

- L-VOL provided to family
- Storage: Fire-rated safe or bank deposit box
- Responsibility: Family maintains custody
- Insurance: Recommended (£500-£1,500 annual for £15k artifact)

Option 3: Dual Custody

- Original L-VOL: SENRA custody (E-01)
- Facsimile L-VOL: Family custody
- Facsimile clearly marked "COPY - Original held by SENRA"

L-VOL Update Protocol:

Problem: Estate changes over time (new accounts, properties sold, etc.) Solution: Annual supplements:

- Printed addendum pages (same archival stock)
- Inserted in slipcase with L-VOL (not bound into volume)
- Clearly dated and marked "Supplement [Year]"

Decennial rebinding:

- Every 10 years: New L-VOL produced incorporating supplements
- Old L-VOL retained as historical artifact (marked "Superseded [Date]")
- Continuous archival chain maintained

DIGITAL PRESERVATION STANDARD

V. DIGITAL PRESERVATION (100-YEAR HORIZON) Challenge: Digital formats degrade faster than paper:

- Media lifespan: CD/DVD 10-25 years, USB 5-10 years, HDD 3-5 years
- Format obsolescence: Software updates render old formats unreadable
- Encryption risks: Lose key = lose data permanently

ES-2026 Digital Strategy: Assume Failure, Plan Redundancy

Format Standard:

PDF/A-2b (ISO 19005-2) Why:

- Open standard (not proprietary)
- Self-contained (embeds fonts, images)
- Widely supported (readable by many applications)
- Long-term stability (designed for archives)

NOT:

- Proprietary formats (Word .docx, Excel .xlsx) - vendor lock-in
- Image formats alone (JPEG, PNG) - no text extraction
- Standard PDF (non-archival variant - may have dependencies)

Media Refresh Cycle:

5-Year Rotation: Year 0: Create digital archives on:

- USB drive A (stored in DP-02)
- USB drive B (stored in DP-03)
- Cloud storage (encrypted, zero-knowledge provider)

Year 5: Verify integrity, copy to new media:

- New USB drive A (technology updated)
- New USB drive B
- Cloud storage refreshed
- Old drives archived (not destroyed - historical backup)

Year 10, 15, 20...: Repeat cycle Why:

- Media degrades (bit rot, controller failure)
- Technology evolves (USB-C replaces USB-A, etc.)
- Proactive refresh prevents data loss

Encryption Strategy:

Encrypted at Rest, Recovery Key in Physical DP: Encryption:

- Cloud storage: Client-side encryption (Tresorit, SpiderOak)
- USB drives: Hardware-encrypted (Apricorn, Kingston IronKey)

- Encryption key: Stored in password manager (DP-01)

Recovery:

- Recovery key printed on archival paper
- Stored in DP-02 (home safe) AND DP-03 (bank box)
- Instructions: "To decrypt digital archives, use key below"

Critical: Recovery key on physical medium (survives digital failure)

The Open Systems Insurance Protocol:

Problem: Single password manager vendor may cease operations. Solution: Annual export:

- Export password manager vault to encrypted file
- Store encrypted vault file on USB (DP-02, DP-03)
- Export includes: All credentials, recovery codes, notes
- File format: Open standard where possible (KeePass .kdbx, CSV)

If vendor fails:

- Import vault into alternative password manager
- Credentials recovered from exported file
- No vendor lock-in

VERIFICATION MAINTENANCE

VI. DECENNIAL VERIFICATION PROTOCOL 100-year horizon requires systematic verification every 10 years.

Year 10, 20, 30... Verification Checklist:

Physical Document Inspection:

- [ ] Paper condition: Yellowing? Brittleness? Tears?
- [ ] Ink legibility: Fading? Smudging?
- [ ] Binding integrity: Broken rings? Torn pages?
- [ ] Storage conditions: Temperature/humidity within range?

If degradation detected:

- Replace affected pages (reprint on archival stock)
- Replace binder if damaged
- Adjust storage conditions

Digital Archive Verification:

- [ ] File integrity: SHA-256 hash matches original?
- [ ] Media accessibility: Can files be opened?
- [ ] Backup redundancy: All 3 copies present (cloud + USB A + USB B)?
- [ ] Encryption key: Recovery key accessible from physical DP?

If issues detected:

- Re-copy files to new media
- Verify encryption/decryption works
- Update documentation if processes changed

Custodian Succession Verification:

- [ ] Current custodian identified and contactable?
- [ ] Successor custodian designated?
- [ ] Access protocols understood by custodian?
- [ ] Institutional custody (if applicable) verified active?

If gaps detected:

- Update P-10 (Succession Plan) with new custodian
- Briefing session with new custodian
- Test access protocols

Documentation Currency:

- [ ] Estate changes since last verification? (new accounts, properties sold)
- [ ] P-Series instruments updated?
- [ ] Supplements created for L-VOL?
- [ ] R-01 (Master Registry) current?

Update as needed:

- Add new accounts to P-02
- Mark sold properties as "Disposed [Date]" in P-09
- Create annual supplement
- Update master registry

CASE STUDY - 100-YEAR CONTINUITY SUCCESS

VII. INSTITUTIONAL PRECEDENTS (CENTURY-SCALE ARCHIVES) University College London (UCL) Archives:

- Documents from 1826 (198 years old)
- Preservation: Archival paper, climate control, institutional custody
- Result: Still legible, accessible, institutionally maintained

Key lessons:

- Institutional custody outlasts individual custodians
- Climate control essential (UK climate variable)
- Format matters: Archival-grade paper survived, standard paper did not

---

Swiss Banking Archives (UBS, Credit Suisse):

- Client documentation from 1850s-1870s (150+ years)
- Preservation: Acid-free paper, vault storage, institutional protocols
- Result: Continuous access, multi-generational client relationships

Key lessons:

- Vault storage (fire/flood protection) critical
- Institutional continuity enabled by role-based custody (not person-dependent)
- Swiss banking secrecy compatible with archival access protocols

---

British National Archives:

- Documents from 1000s (Domesday Book, 1086)
- Preservation: Vellum (animal skin - 900+ year lifespan)
- Modern archives: Archival paper, controlled environment

Key lessons:

- Material quality determines lifespan (vellum > archival paper > standard paper)
- Environmental control non-negotiable for century-scale
- Institutional commitment required (National Archives = permanent institution)

SENRA Application: SENRA 100-year horizon (2020-2120) models on these institutional precedents:

1. Material: ISO 9706 archival paper (proven 200+ year lifespan)
2. Environment: Climate-controlled vault (18-21°C, 35-45% RH)
3. Custody: Institutional (SENRA = perpetual entity, not individual)
4. Verification: Decennial inspection/maintenance
5. Format stability: Physical primary (survives technology change)

Expected outcome: Documents created 2020 readable and accessible in 2120 (generation 4-5).

THE E-01 ENDOWMENT SHELF

VIII. E-01: 100-YEAR PHYSICAL LEASE SENRA Product: £50,000 (one-time endowment) What it provides: Physical custody:

- Dedicated shelf in SENRA climate-controlled archive
- Fire-rated vault (2-hour @ 1700°F)
- Flood protection (elevated storage, waterproof containers)
- Security (access-controlled facility)

100-year lease:

- From date of enrollment to 2120 (or 100 years from enrollment)
- Perpetual institutional commitment
- No annual fees (endowment covers perpetual costs)

Included services:

- Annual physical inspection
- Decennial condition verification
- Climate monitoring (continuous)
- Custodian succession (institutional continuity)

Access protocol:

- Principal: Access by appointment during lifetime
- Designated successors: Access upon principal's death (succession trigger)
- Verification visits: Quarterly available, annual encouraged

---

What E-01 holds: Typical contents:

- L-VOL (Legacy Volume - bound estate archive)
- Original legal documents (wills, trusts, deeds)
- Physical certificates (shares, bonds, if still issued)
- Family constitutional documents
- Succession letters
- Historical artifacts (letters, photographs - family archive)

Not held:

- Cash or liquid assets (not a bank vault)
- Everyday operational documents (active P-Series in home DP)
- Consumables or perishables

E-01 vs Home Safe vs Bank Deposit Box:

Feature	E-01 (SENRA)	Home Safe	Bank Box
Cost	£50,000 (100 years)	£400 (one-time)	£150/year
Lifespan	100 years guaranteed	20-40 years typical	Dependent on bank

Climate control	Yes (professional)	No (home environment)	No (bank vault)
Institutional continuity	Yes (perpetual)	No (owner-dependent)	Limited (bank may close)
Access	By appointment	Immediate	Bank hours only
Succession clarity	Built-in protocol	Family-dependent	Executor may face delays

E-01 positioning: Not replacement for operational DPs (DP-02 home safe still needed for current documents). E-01 = permanent archive for multi-generational handover.

CLIMATE ENVIRONMENTAL STANDARDS

IX. STORAGE ENVIRONMENT SPECIFICATIONS

Temperature:

Ideal: 18-21°C (64-70°F) Why:

- Below 18°C: Risk of condensation, mold (if humidity high)
- Above 21°C: Accelerates chemical degradation

Monitoring:

- Continuous temperature logging (digital thermometer with data export)
- Alert if exceeds 16-24°C range
- Monthly review of temperature logs

Relative Humidity (RH):

Ideal: 35-45% RH Why:

- Below 30%: Paper becomes brittle, ink may crack/flake
- Above 50%: Mold risk, paper warping (cockle)

Monitoring:

- Hygrometer (digital, calibrated annually)
- Dehumidifier if consistently above 50%
- Humidifier if consistently below 30%

UK climate challenge:

- London: 60-80% RH typical (too high - dehumidification required)
- Heating season: 30-40% RH (acceptable range)

Solution:

- Dehumidifier in archive room (maintain 40-45% RH year-round)
- Sealed archival boxes (additional protection)

Light Exposure:

Minimize UV and visible light: Damage mechanisms:

- UV: Breaks down paper fibers, fades ink
- Visible light: Cumulative degradation over decades

Protection:

- Store documents in closed binders/boxes (blocks light)
- Avoid windows in archive room
- If windows present: UV-filtering film
- Lighting: LED (lowest UV) when archive accessed

Measurement:

- Lux meter (light intensity)

- Target: <50 lux when documents stored
- During access: <200 lux

Air Quality:

Pollutants to avoid:

- Sulfur dioxide (from burning fossil fuels - outdoor pollution)
- Nitrogen oxides (vehicle emissions)
- Ozone (from photocopiers, laser printers)
- Volatile organic compounds (VOCs - new paint, carpets, furniture)

Mitigation:

- Air purifier with activated carbon filter
- HEPA filter (removes particulates)
- Avoid storing documents near:
- Kitchens (cooking fumes)
- Garages (vehicle exhaust)
- New construction (VOC off-gassing)

Fire & Flood Protection:

Fire:

- Fire-rated safe/vault (2-hour minimum for 100-year custody)
- Fire suppression: Avoid water sprinklers in archive (water damage)
- Prefer: Gas suppression (inert gas displaces oxygen)

Flood:

- Elevated storage (minimum 300mm above floor)
- Waterproof containers (Pelican cases for critical items)
- Floor drains (if basement/ground floor storage)

Disaster recovery:

- Offsite backup copy (geographic separation)
- Digital backups (separate from physical)
- Recovery plan documented in R-04 (DP Registry)

INSTITUTIONAL CONTINUITY FRAMEWORK

X. SENRA 100-YEAR INSTITUTIONAL COMMITMENT The Institutional Longevity Problem: Traditional custodians fail over 100 years:

- Solicitor: Retires, dies (25-40 year lifespan)
- Firm: Merges, rebrands, closes (40-60% turnover per century)
- Bank: Acquires, fails, pivots (multiple restructures per century)

100-year requirement = institutional permanence.

SENRA Structural Permanence:

Legal structure:

- Perpetual entity (no fixed term)
- Constitutional commitment: 100-year horizon (2020-2120 endpoint)
- Successor clause: If SENRA ceases, custody transfers to designated successor

Financial permanence:

- Endowment model (E-01 £50k covers perpetual costs)
- No dependency on annual revenue
- Endowment invested conservatively (UK gilts, infrastructure)

Operational permanence:

- Role-based custody (not person-dependent)
- Documented protocols (successor staff trained)
- Geographic redundancy (multiple archive locations)

Succession Planning (Institutional):

Every 25 years: Institutional review: 2020-2045: Generation 1

- SENRA established, initial custody enrollments
- Archive infrastructure built
- Protocols tested, refined

2045-2070: Generation 2

- First custodian successions (original staff retire/pass)
- Institutional knowledge transfer tested
- First decennial verifications for 2020 enrollments

2070-2095: Generation 3

- Second generation succession
- Original founders deceased
- Institutional continuity proven (or failed)

2095-2120: Generation 4

- Centenary endpoint
- 100-year custody commitments mature

- Handover to families or renewal

Custodian Transfer Protocol:

If SENRA ceases operations (unlikely but planned for): Trigger: Board resolution to wind down OR regulatory action Process:

1. 12-month notice to all custody clients
2. Designated successor institution identified (pre-agreed in SENRA constitution)
3. Physical archive transferred to successor
4. Digital archives transferred
5. Custody agreements novated (same terms, new custodian)
6. Endowments transferred (maintain financial permanence)

Designated successors (in order of preference):

1. Engadin Group (parent entity)
2. Established UK archival institution (National Archives, university)
3. Swiss banking custodian (UBS, Julius Baer)
4. UK trust company (established, regulated)

Client protection:

- Custody cannot be abandoned (legal obligation)
- Endowment remains dedicated to custody costs
- Access protocols maintained

FAMILY CONSTITUTIONAL ARCHIVES

XI. MULTI-GENERATIONAL GOVERNANCE DOCUMENTATION Family constitutions = 100-year governance frameworks Purpose: Define how multi-generational families:

- Make decisions (voting, veto powers)
- Handle wealth transfer (equal vs merit-based)
- Manage conflict (mediation, arbitration)
- Maintain unity (family councils, retreats)

Typical family constitution lifespan: 3-4 generations (75-100 years)

Constitutional Archive Requirements:

Documents typically included:

- Family constitution (governance framework)
- Mission/values statement
- Decision-making protocols
- Wealth transfer philosophy
- Conflict resolution procedures
- Family council operating agreement
- Amendment procedures

ES-2026 application: Material:

- Archival paper (100-year permanence required)
- Bound volume (L-VOL equivalent for family)
- Multiple certified copies (each branch holds copy)

Custody:

- Original: SENRA E-01 (institutional custody)
- Copies: Family branches (distributed custody)

Verification:

- Decennial family council review
- Amendments documented (constitutional evolution tracked)

Amendment Protocol:

Problem: Family constitutions evolve (rules change over generations). Solution: Living document with archival trail: Year 0: Original constitution signed, bound, archived Year 10: Amendment proposed, voted, approved

- Amendment printed on archival paper
- Bound as supplement to original
- Amendment clearly dated and signed
- Original constitution remains intact (historical record)

Year 20, 30, 40...: Additional amendments Year 50 (or sooner if needed): Consolidation

- New consolidated constitution incorporating all amendments

- Old constitution + amendments retained as historical archive
- New constitution becomes current, same archival treatment

Result: Complete constitutional history preserved (original + all amendments + consolidations).

LIMITATIONS DISCLAIMERS

XII. LIMITATIONS This document: Provides operational frameworks, not legal advice:

- ES-2026 is a preservation standard, not legal document
- Custody arrangements require legal agreements (SENRA provides templates)
- Professional legal counsel recommended for trust/will integration

Reflects practices observed in specific jurisdictions:

- Primarily UK-based (SENRA London operations)
- ISO standards international, but implementation varies
- Climate specifications assume UK/European environment

Designed to reduce failure points, not eliminate all risk:

- 100-year horizon ambitious (no guarantees)
- Institutional continuity assumed but not guaranteed
- Material permanence based on ISO standards (proven but not absolute)

Should be adapted to specific circumstances with professional guidance:

- Family situations vary
- Jurisdiction-specific requirements may differ
- Professional archivists should be consulted for high-value collections

Does not constitute financial, legal, or tax advice:

- Custody costs (E-01 £50k) require financial planning
- Tax implications of long-term wealth structures vary
- Professional advisors should be engaged

Jurisdiction variation: Legal requirements differ significantly:

- Probate rules vary (common law vs civil law)
- Trust recognition varies (some jurisdictions don't recognize trusts)
- Forced heirship may override family constitutions

Professional local counsel should be engaged for:

- Will drafting with 100-year horizon
- Trust structures spanning multiple generations
- Family constitutional legal status
- Cross-border custody arrangements

Professional consultation recommended for: Estate planning and probate matters:

- Multi-generational trust structures
- Family constitutional integration with wills
- Executor appointment for long-horizon estates

Archival preservation:

- High-value art collections (specialist conservation)
- Historical documents (museum-grade preservation)

- Rare manuscripts (professional appraisal + conservation)

Tax optimization and compliance:

- Inheritance tax planning across generations
- Trust taxation long-term
- Cross-border estate tax treaties

CONCLUSION

The 100-year horizon is not theoretical. It is operational reality for:

- Multi-generational families (wealth beyond grandchildren)
- Family constitutions (governance across 3-4 generations)
- SENRA custody commitments (2020-2120 centenary)
- Perpetual trusts (UK, some US states allow)

Standard estate planning fails at this horizon:

- Material degradation (paper yellows, digital formats obsolete)
- Institutional discontinuity (advisors retire, firms close)
- Technology obsolescence (formats unreadable, media degraded)
- Geographic fragmentation (families move, properties sold)

ES-2026 addresses systematic failure through:

1. Material permanence - ISO 9706 archival paper (200+ years proven)
2. Environmental control - Climate specifications (temperature, humidity, light)
3. Institutional custody - SENRA 100-year commitment (perpetual entity)
4. Verification discipline - Decennial inspection/maintenance
5. Format stability - Physical primary, digital backup (technology-agnostic)
6. Custodian succession - Role-based (not person-dependent)

Implementation costs: DIY (family-held archive):

- Archival materials: £500-£1,500
- Climate control equipment: £300-£800
- Fire-rated safe: £400-£1,200
- Total: £1,200-£3,500

SENRA institutional custody (E-01):

- 100-year endowment: £50,000 (one-time)
- Includes: Climate control, vault, verification, institutional continuity

Hybrid approach:

- L-VOL production: £15,000 (bound archive)
- Family custody (DIY costs above)
- Total: £16,200-£18,500

Expected outcomes: With ES-2026 compliance:

- Documents created 2024 readable and accessible in 2124
- Institutional continuity maintained across 4 generations
- Zero material degradation (archival-grade preservation)
- Custodian succession seamless (role-based protocols)

Without ES-2026 (standard approach):

- 80%+ documentation loss by 2084 (generation 3)

- 95%+ loss by 2124 (generation 4)
- Institutional discontinuity (advisors/firms lapsed)
- Digital archives unreadable (format obsolescence)

The Engadin Foundation position: Century-scale preservation is not aspirational. It is institutional discipline. The materials exist. The protocols are proven. The institutions (archives, museums, banks) demonstrate century-scale success. What is required: Commitment to archival rigour.

REFERENCES:

[1] ISO 9706:1994 - Information and documentation - Paper for documents - Requirements for permanence

[2] ISO 11108:1996 - Information and documentation - Archival paper - Requirements for permanence and durability

[3] ISO 14721:2012 - Space data and information transfer systems - Open archival information system (OAIS) - Reference model

[4] British National Archives - Preservation standards and guidelines

[5] Institutional precedent analysis: UCL Archives, UBS Archives, Swiss National Bank Archives (1850s-present)

FOOTER:

WP-05: The 100-Year Archive Standard | Page X of 20 | Engadin Foundation | Working Paper

---

END WP-05